Axle Series	Location	Spline Type (Number of Splines-Diameter)	Eaton P/N Yoke and Seal Kit Except if noted with *	Yoke and slinger only. Purchase oil seal separately	Yoke Series	Joint Angle	Yoke Style	Demension A	Demension B	Demension C	Replaces Old Straight Spline Yokes		
											Eaton	Spicer# Ending in X= Slinger Space 1 Half Round	Rockwell / Meritor TYS = Half Round and NYS = Full Round
15040S and 19050S/A/D/T/P	Rear Axle	34 - 1.750 Involute Spline	ETN 126425	*	1410	30°	Half Round	4.025	1.88	4.19	ETN 42055	SP 4 3 3041	TDA 141TYS28 8
15040S and 19050S/A/D/T/P	Rear Axle	35 - 1.750 Involute Spline	ETN 126427	*	1480	25°	Half Round	4.275	1.38	4.19	ETN 32866	SP 4 3 2241	TDA 141TYS24
15040S and 19050S/A/D/T/P	Rear Axle	36 - 1.750 Involute Spline	ETN 126429	*	1550	25°	Half Round	4.275	1.38	4.97	ETN 47999	SP 4 4 1901	TDA 155TYS28 9
15040S and 19050S/A/D/T/P	Rear Axle	37 - 1.750 Involute Spline	ETN 126469	*	1610	35°	Full Round	4.750	1.88	5.31			
15040S and 19050S/A/D/T/P	Rear Axle	38 - 1.750 Involute Spline	ETN 126531	*	1610	30°	Half Round	4.750	1.88	5.31			
15040S and 19050S/A/D/T/P	Rear Axle	39 - 1.750 Involute Spline	ETN 126533	*	1480	25°	Half Round	4.275	1.38	4.19	ETN 42200	SP 4 3 3061	TDA 148TYS28 1
15040S and 19050S/A/D/T/P	Rear Axle	40 - 1.750 Involute Spline	ETN 126535	*	1710	34°	Half Round	5.440	1.94	6.19			
15040S and 19050S/A/D/T/P	Rear Axle	41 - 1.750 Involute Spline	ETN 128594	*	6C	N/A	Half Round, Tapped Holes Bearing Strap	3.25	N/A	4.50			
15040S and 19050S/A/D/T/P	Rear Axle	42 - 1.750 Involute Spline	ETN 129227	*	SPL 90	N/A	Half Round	4.00	1.61	4.25			
15040S and 19050S/A/D/T/P	Rear Axle	43 - 1.750 Involute Spline	ETN 210819	*	SPL 170	25°	Half Round	4.94	2.16	5.51			
D341, 402, 403 and 451 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 119734	*	72N/7C	N/A	Half Round, Tapped Holes Bearing Strap	4.56	N/A	4.62			
D341, 402, 403 and 451 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 210821	*	SPL 250	25°	Half Round	5.94	2.36	5.31			
D341, 402, 403 and 451 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 210865	*	SPL 170	25°	Half Round	5.28	2.17	5.51			
D341, 402, 403 and 451 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 213168		1810	30°	Full Round	5.25	1.94	7.55	ETN 86427	SP 6.5 4 2441	TDA 18NYS34
D341, 402, 403 and 451 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 213169		1710	25°	Full Round	5.19	1.94	6.09	ETN 86960	SP 4 6 4961	TDA 17NYS34 7
D341, 402, 403 and 451 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 213170		1760	30°	Full Round	5.25	1.94	7.00	ETN 108282	SP 6 3 121	TDA 176NYS34 1
D341, 402, 403 and 451 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 213171		1810	30°	Half Round	5.25	1.94	7.55			
D341, 402, 403 and 451 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 213172		1610	22°	Half Round	5.00	1.88	5.31			
D341, 402, 403 and 451 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 213173		1760	30°	Half Round	5.25	1.94	7.00			
D341, 402, 403 and 451 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 213174		1710	25°	Half Round	5.19	1.94	6.09			

D341, 402, 403 and 451 Tandem Axle	Forward Axle Output	34-1.750 Involute Spline	ETN 113569	*	72N/7C	N/A	Half Round, Tapped Holes Bearing Strap	4.56	N/A	4.62			
D341, 402, 403 and 451 Tandem Axle	Forward Axle Output	34-1.750 Involute Spline	ETN 210823	*	SPL 170	25°	Half Round	5.60	2.17	5.51			
D341, 402, 403 and 451 Tandem Axle	Forward Axle Output	34-1.750 Involute Spline	ETN 210825	*	SPL 170	45°	Half Round	6.26	2.17	5.51			
D341, 402, 403 and 451 Tandem Axle	Forward Axle Output	34-1.750 Involute Spline	ETN 213175		1610	45°	Full Round	6.19	1.88	5.31	ETN 73589	SP 4 5 3901	TDA 16NYS28 29
D341, 402, 403 and 451 Tandem Axle	Forward Axle Output	34-1.750 Involute Spline	ETN 213176		1710	25°	Full Round	5.44	1.94	6.09	ETN 52337	SP 4 6 3391	TDA 17NYS28 10
D341, 402, 403 and 451 Tandem Axle	Forward Axle Output	34-1.750 Involute Spline	ETN 213177		1710	45°	Full Round	6.31	1.94	6.09	ETN 73593	SP 4 6 4141	TDA 17NYS28 16
D341, 402, 403 and 451 Tandem Axle	Forward Axle Output	34-1.750 Involute Spline	ETN 213178		1610	29.5°	Full Round	4.94	1.88	5.31	ETN 50567	SP 4 5 2081	TDA 16NYS28 4
D344, 404, 405 and 454 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 127550	*	1710	23°	Full Round	5.19	1.94	6.09			
D344, 404, 405 and 454 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 127617	*	1710	30°	Half Round	5.19	1.94	6.19			
D344, 404, 405 and 454 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 127618	*	1760	30°	Full Round	5.25	1.94	7.00			
D344, 404, 405 and 454 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 127619	*	1810	30°	Full Round	5.25	1.94	7.55			
D344, 404, 405 and 454 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 127620	*	1610	35°	Half Round	5.00	1.88	5.31			
D344, 404, 405 and 454 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 127621	*	1810	30°	Half Round	5.25	1.94	7.64			
D344, 404, 405 and 454 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 127622	*	1760	30°	Half Round	5.25	1.94	7.09			
D344, 404, 405 and 454 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 210831	*	SPL 170	25°	Half Round	5.27	2.16	5.51			
D344, 404, 405 and 454 Tandem Axle	Forward Axle Input	44-2.250 Involute Spline	ETN 210833	*	SPL 250	25°	Half Round	5.49	2.36	5.31			
D344, 404, 405 and 454 Tandem Axle	Forward Axle Output	39-1.95 Involute Spline	ETN 127558	*	1710	30°	Full Round	5.25	1.94	6.09			
D344, 404, 405 and 454 Tandem Axle	Forward Axle Output	39-1.95 Involute Spline	ETN 127624	*	1710	45°	Full Round	6.12	1.94	6.09			
D344, 404, 405 and 454 Tandem Axle	Forward Axle Output	39-1.95 Involute Spline	ETN 127638	*	1610	45°	Full Round	6.00	1.88	5.31			
D344, 404, 405 and 454 Tandem Axle	Forward Axle Output	39-1.95 Involute Spline	ETN 128722	*	1710	39.5°	Half Round	6.12	1.94	6.19			

D344, 404, 405 and 454 Tandem Axle	Forward Axle Output	39-1.95 Involute Spline	ETN 128737	*	1710	30°	Half Round	5.25	1.94	6.19			
D344, 404, 405 and 454 Tandem Axle	Forward Axle Output	39-1.95 Involute Spline	ETN 210835	*	SPL 170	25°	Half Round	5.27	2.16	5.51			
D344, 404, 405 and 454 Tandem Axle	Forward Axle Output	39-1.95 Involute Spline	ETN 210837	*	SPL 170	45°	Half Round	6.50	2.16	5.51			
D461, 462, 463, 521, 581, 601, 651 and 652	Forward Axle Input	46 - 2.350 Involute Spline	ETN 210843	*	SPL 170	25°	Half Round	6.53	2.16	5.51			
D461, 462, 463, 521, 581, 601, 651 and 653	Forward Axle Input	47 - 2.350 Involute Spline	ETN 210845	*	SPL 250	25°	Half Round	6.76	2.36	5.31			
D461, 462, 463, 521, 581, 601, 651 and 654	Forward Axle Input	48 - 2.350 Involute Spline	ETN 216471		1710	30°	Full Round	6.01	1.94	6.09	ETN 82468	SP 4 6 4581	TDA 17NYS39 3
D461, 462, 463, 521, 581, 601, 651 and 655	Forward Axle Input	49 - 2.350 Involute Spline	ETN 216473		1760	30°	Full Round	6.20	1.94	7.00	ETN 109639	SP 6 3 4 131	
D461, 462, 463, 521, 581, 601, 651 and 656	Forward Axle Input	50 - 2.350 Involute Spline	ETN 216476		1810	22.5°	Half Round	6.01	1.94	7.55	ETN 84886	SP 6.5 4 1991	TDA 18NYS39 3
D461, 462, 463, 521, 581, 601, 651 and 657	Forward Axle Input	51 - 2.350 Involute Spline	ETN 216477		82N/8C	30°	Half Round	4.75	N/A	6.88	ETN 119420		
D461, 462, 463, 521, 581, 601, 651 and 658	Forward Axle Output	41 - 2.100 Involute Spline	ETN 216479		1610	45°	Full Round	6.50	1.88	5.31	ETN 99714	SP 4 5 5031	TDA 16NYS34 7
D461, 462, 463, 521, 581, 601, 651 and 659	Forward Axle Output	42 - 2.100 Involute Spline	ETN 216480		1710	38°	Full Round	6.62	1.94	6.09	ETN 83800	SP 4 6 4591	TDA 7NYS34 8
D461, 462, 463, 521, 581, 601, 651 and 660	Forward Axle Output	43 - 2.100 Involute Spline	ETN 216481		1760	38°	Full Round	5.81	1.94	7.55			
D461, 462, 463, 521, 581, 601, 651 and 661	Forward Axle Output	44 - 2.100 Involute Spline	ETN 216482		1810	30°	Full Round	5.81	1.94	7.55	ETN 87512	SP 6.5 4 2291	TDA 8NYS34 1
F155S Series	Not Listed	Not Listed	SP 3 4 12101 1X	*	1480	22°	Half Round	4.22	1.38	4.19			
F155S Series	Not Listed	Not Listed	SP 4 4 6961 1X	*	1550	21.5°	Half Round	4.00	1.38	4.97			
F155S Series	Not Listed	Not Listed	SP 90 4 551 1X	*	SPL 90	15°	Half Round	5.63	1.63	4.96			
J175S, J190S, J210S and J220S	Not Listed	Not Listed	SP 3 4 13351 1X	*	1480	18°	Half Round	4.28	1.38	4.19			
J175S, J190S, J210S and J220S	Not Listed	Not Listed	SP 4 4 7001 1X	*	1550	23°	Half Round	4.31	1.38	4.97			
J175S, J190S, J210S and J220S	Not Listed	Not Listed	SP 5 4 8611 1X	*	1610	33.5°	Half Round	5.38	1.88	5.31			
J175S, J190S, J210S and J220S	Not Listed	Not Listed	SP 6 4 8681 1X	*	1710	24°	Half Round	4.56	1.94	6.19			
J175S, J190S, J210S and J220S	Not Listed	Not Listed	SP 6.3 4 1521 1X	*	1760	3.5°	Half Round	5.00	1.94	7.09			
J175S, J190S, J210S and J220S	Not Listed	Not Listed	SP 90 4 591 1X	*	SPL 90	15°	Half Round	4.38	1.63	4.96			
J400S	Forward Axle Input	Not Listed	SP 5 4 8651 1X	*	1610	21°	Half Round	5.16	1.88	5.31			

J400S	Forward Axle Input	Not Listed	SP 6 4 8721 1X	*	1710	28.5°	Half Round	5.44	1.94	6.19			
J400S	Forward Axle Input	Not Listed	SP 6.3 4 1561 1X	*	1760	30°	Half Round	5.44	1.94	7.09			
J400S	Forward Axle Input	Not Listed	SP 6.5 4 4441 1X	*	1810	30°	Half Round	5.44	1.94	7.64			
J400S	Forward Axle Output	Not Listed	SP 5 4 8661 1	*	1610	45°	Half Round	6.00	1.88	5.31			
J400S	Forward Axle Output	Not Listed	SP 6 4 8731 1	*	1710	21°	Half Round	5.16	1.94	6.19			
J400S	Rear Axle	Not Listed	SP 5 4 8691 1X	*	1610	45°	Half Round	6.00	1.88	5.31			
J400S	Rear Axle	Not Listed	SP 6 4 8761 1X	*	1710	43°	Half Round	6.06	1.94	6.19			
M190T, M210T, M220T and M230T	Not Listed	Not Listed	SP 3 4 12121 1X	*	1480	25°	Half Round	4.28	1.38	4.19			
M190T, M210T, M220T and M230T	Not Listed	Not Listed	SP 4 4 6981 1X	*	1550	35°	Half Round	4.50	1.38	4.97			
M190T, M210T, M220T and M230T	Not Listed	Not Listed	SP 5 4 8591 1X	*	1610	30°	Half Round	4.84	1.88	5.31			
M190T, M210T, M220T and M230T	Not Listed	Not Listed	SP 6 4 8661 1X	*	1710	30°	Half Round	4.84	1.94	6.19			
M190T, M210T, M220T and M230T	Not Listed	Not Listed	SP 90 4 571 1X	*	SPL 90	15°	Half Round	4.25	1.63	4.96			
R341, 402, 403, 451, 17/21/22130, 17/21/22430, 19/21/22060T/P, 21/22065S/T/P/D and 19055S/T/P/D	Rear Axle	39-1.95 Involute Spline	ETN 111539		72N/7C	N/A	Half Round, Tapped Holes Bearing Strap	4.56	N/A	4.62			
R341, 402, 403, 451, 17/21/22130, 17/21/22430, 19/21/22060T/P, 21/22065S/T/P/D and 19055S/T/P/D	Rear Axle	39-1.95 Involute Spline	ETN 210827	*	SPL 170	25°	Half Round	5.03	2.17	5.51			
R341, 402, 403, 451, 17/21/22130, 17/21/22430, 19/21/22060T/P, 21/22065S/T/P/D and 19055S/T/P/D	Rear Axle	39-1.95 Involute Spline	ETN 210829	*	SPL 170	45°	Half Round	6.02	2.17	5.51			
R341, 402, 403, 451, 17/21/22130, 17/21/22430, 19/21/22060T/P, 21/22065S/T/P/D and 19055S/T/P/D	Rear Axle	39-1.95 Involute Spline	ETN 213179		1710	45°	Full Round	6.12	1.94	6.09	ETN 73592	SP 4 6 4151	TDA 17NYS31 29

R341, 402, 403, 451, 17/21/22130, 17/21/22430, 19/21/22060T/P, 21/22065S/T/P/D and 19055S/T/P/D	Rear Axle	39-1.95 Involute Spline	ETN 213180		1610	45°	Full Round	6.00	1.88	5.31			
R341, 402, 403, 451, 17/21/22130, 17/21/22430, 19/21/22060T/P, 21/22065S/T/P/D and 19055S/T/P/D	Rear Axle	39-1.95 Involute Spline	ETN 213181		1710	33°	Full Round	5.25	1.94	6.09	ETN 88912	SP 4 6 5141	TDA 17NYS31 31
R341, 402, 403, 451, 17/21/22130, 17/21/22430, 19/21/22060T/P, 21/22065S/T/P/D and 19055S/T/P/D	Rear Axle	39-1.95 Involute Spline	ETN 213182		1610	35°	Full Round	5.31	1.88	5.31			
R341, 402, 403, 451, 17/21/22130, 17/21/22430, 19/21/22060T/P, 21/22065S/T/P/D and 19055S/T/P/D	Rear Axle	39-1.95 Involute Spline	ETN 213183		1610	23°	Full Round	4.72	1.88	5.31	ETN 39521	SP 5 4 1641	
R341, 402, 403, 451, 17/21/22130, 17/21/22430, 19/21/22060T/P, 21/22065S/T/P/D and 19055S/T/P/D	Rear Axle	39-1.95 Involute Spline	ETN 213184		1550	22°	Half Round	4.27	1.38	4.97			
R341, 402, 403, 451, 17/21/22130, 17/21/22430, 19/21/22060T/P, 21/22065S/T/P/D and 19055S/T/P/D	Rear Axle	39-1.95 Involute Spline	ETN 213185		1550	22°	Full Round	4.27	1.38	4.97			
R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 127415	*	1710	30°	Full Round	5.25	1.94	6.09			
R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 127637	*	1710	45°	Full Round	6.12	1.94	6.09			
R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 128720	*	1610	45°	Full Round	6.00	1.88	5.31			
R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 128721	*	1610	22°	Full Round	4.72	1.88	5.31			
R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 128745	*	1710	30°	Half Round	5.25	1.94	6.19			
R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 128746	*	1710	39.5°	Half Round	6.12	1.94	6.19			
R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 129019	*	1610	45°	Half Round	6.00	1.88	5.31			
R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 129043	*	1610	23°	Half Round	4.88	1.88	5.31			
R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 129164	*	1480	19°	Half Round	4.34	1.38	3.69			

R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 129166	*	1550	24.5°	Half Round	4.30	1.38	4.47			
R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 210839	*	SPL 170	25°	Half Round	5.16	2.16	5.51			
R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 210841	*	SPL 170	45°	Half Round	6.24	2.16	5.51			
R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 210875	*	RPL 20	30°	Half Round	4.85	N/A	5.30			
R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 210877	*	RPL 20	42°	Half Round	5.69	N/A	5.30			
R344, 404, 405, 454 and 19/21/22060S/D/A	Rear Axle	39-1.95 Involute Spline	ETN 210923	*	SPL 90	15°	Half Round	4.75	1.61	4.53			
R461, 521, 581, 601, 651, 652 and 23070T/P, 23080T/P, 23085T/P and 35055P	Rear Axle	45 - 2.100 Involute Spline	ETN 128882	*	1610	26°	Full Round	5.19	1.88	5.31	ETN 99715	SP 4 5 5031	TDA 16NYS34 7
R461, 521, 581, 601, 651, 652 and 23070T/P, 23080T/P, 23085T/P and 35055P	Rear Axle	46 - 2.100 Involute Spline	ETN 128883	*	1610	37°	Full Round	6.00	1.88	5.31			
R461, 521, 581, 601, 651, 652 and 23070T/P, 23080T/P, 23085T/P and 35055P	Rear Axle	47 - 2.100 Involute Spline	ETN 128884	*	1710	28°	Full Round	5.19	1.94	6.09			
R461, 521, 581, 601, 651, 652 and 23070T/P, 23080T/P, 23085T/P and 35055P	Rear Axle	48 - 2.100 Involute Spline	ETN 128885	*	1710	39°	Full Round	6.12	1.94	6.09	ETN 83801	SP 4 6 4591	TDA 7NYS34 8
R461, 521, 581, 601, 651, 652 and 23070T/P, 23080T/P, 23085T/P and 35055P	Rear Axle	49 - 2.100 Involute Spline	ETN 128886	*	1760	30.5°	Full Round	5.25	1.94	7.00			
R461, 521, 581, 601, 651, 652 and 23070T/P, 23080T/P, 23085T/P and 35055P	Rear Axle	50 - 2.100 Involute Spline	ETN 128887	*	1810	29.5°	Full Round	5.25	1.94	7.55	ETN 87513	SP 6.5 4 2291	TDA 8NYS34 1
R461, 521, 581, 601, 651, 652 and 23070T/P, 23080T/P, 23085T/P and 35055P	Rear Axle	51 - 2.100 Involute Spline	ETN 210853	*	SPL 170	25°	Half Round	5.32	2.16	5.51			
R461, 521, 581, 601, 651, 652 and 23070T/P, 23080T/P, 23085T/P and 35055P	Rear Axle	52 - 2.100 Involute Spline	ETN 210855	*	SPL 170	45°	Half Round	6.68	2.16	5.51			
S230S	Rear Axle	Not Listed	SP 6 4 8801 1X	*	1710	30°	Half Round	5.23	1.94	6.19			
S230S	Rear Axle	Not Listed	SP 6.3 4 1611 1X	*	1760	30°	Half Round	5.23	1.94	7.09			
W230S	Not Listed	Not Listed	SP 5 4 8631 1X	*	1610	21°	Half Round	5.16	1.88	5.31			
W230S	Not Listed	Not Listed	SP 6 4 8701 1X	*	1710	22°	Half Round	5.44	1.94	6.19			
W230S	Not Listed	Not Listed	SP 6.3 4 1541 1X	*	1760	30°	Half Round	5.44	1.94	7.09			

W230S	Not Listed	Not Listed	SP 6.5 4 4421 1X	*	1810	30°	Half Round	5.44	1.94	7.64			
W230S	Not Listed	Not Listed	SP 90 4 611 1X	*	SPL 90	15°	Half Round	4.81	1.63	4.96			
W460S	Forward Axle Input	Not Listed	SP 5 4 8651 1X	*	1610	21°	Half Round	5.16	1.88	5.31			
W460S	Forward Axle Input	Not Listed	SP 6 4 8721 1X	*	1710	28.5°	Half Round	5.44	1.94	6.19			
W460S	Forward Axle Input	Not Listed	SP 6.3 4 1561 1X	*	1760	30°	Half Round	5.44	1.94	7.09			
W460S	Forward Axle Input	Not Listed	SP 6.5 4 4441 1X	*	1810	30°	Half Round	5.44	1.94	7.64			
W460S	Forward Axle Output	Not Listed	SP 5 4 8661 1	*	1610	45°	Half Round	6.00	1.88	5.31			
W460S	Forward Axle Output	Not Listed	SP 6 4 8731 1	*	1710	21°	Half Round	5.16	1.94	6.19			
W460S	Rear Axle	Not Listed	SP 6 4 8781 1X	*	1710	41.5°	Half Round	6.5	1.94	6.19			