FREIGHTLINER CORPORATION
PORTLAND, OREGON

FREIGHTLINER

MASTER

SERIES "A"
GROUP INDEX

FOR VEHICLE SERIAL NUMBERS 15500 AND UP

DATE	LAST CHG. LTR.	TITLE	PAGE	GROUP NO.
8/17/82	AA	MATERIAL SPECIFICATION	1	48

	Description		ST	CHG
5	ADHESIVE (SEE SEALANTS, TAPES)			
10	ALCOHOL, BUTYL	48- 2212		
15	ALCOHOL, METHYL	48- 2190		
25	ALUMINUM			
30	BAR			
40	FLAT, ALUM 2024	48- 226		
50	FLAT, ALUM 5052	48- 230		
60	FLAT, ALUM 5086	48- 227		
70	FLAT, ALUM 6061	48- 228		
75	FLAT, ALUM 6262	48- 232		
80	FLAT, ALUM 6063	48- 229		
90	FLAT, ALUM 6351	48- 231		
110	HEX, ALUM 2024	48- 301		
120	HEX, ALUM 2011	48- 304		
125	HEX, ALUM 6061	48- 302		
140	ROUND, ALUM 2011	48- 329		
150	ROUND, ALUM 2024	48- 326		
160	ROUND, ALUM 6061	48- 327		
170	ROUND, ALUM 6063	48- 328		
180	ROUND, ALUM 6262	48- 331		
200	SQUARE, ALUM 2024	48- 276		
210	SQUARE, ALUM 6061	48- 277		
220	SQUARE, ALUM 6063	48- 278		
270	EXTRUSIONS & STRUCTURAL SHAPES			
290	ANGLE, AM STD, ALUM 5052	48- 503		
300	ANGLE, AM STD, ALUM 6061	48- 501		
310	ANGLE, FLANGED (DOOR POST), ALUM 6063-T6	48- 530		
320	ANGLE, EQUAL LEG, ALUM 6063-T6 & 6063-T5	48- 529		
330	ANGLE, SHARP CORNER, ALUM 6063 T52	48- 502		
340	ANGLE TEE (BAGG DOOR FRM), ALUM 6063-T42	48- 527		
350	ANGLE TEE (REAR BEAM) ALUM 6063-T5	48- 532		
370	BAR, 6063-T6	48- 561		
380	CAP, SPRING BRACKET	48- 104		
385	CAP, SPRING BRACKET, FRONT	48- 103		
390	CHANNEL, ALUM 6351-T6	48- 549		
400	CHANNEL, AM STD, ALUM 6061	48- 542		
410	CHANNEL, ALUM 6061 & 6063	48- 537		
420	CHANNEL, SHARP CORNER	48- 548		
425	CHECK ARM STOP	48- 2325		
430	CROSSMEMBER	48- 562		
435	DOOR FRAME, CAB, 6061-T4	48- 2302		
440	DOOR FRAME, CAB, 6061-T6	48- 2307		
450	DOOR FRAME, HALF CAB, ALUM 6063-T6	48- 543		
470	DOOR FRAME, HORIZONTAL	48- 571		
473	DOOR FRAME, OPENING	48- 2303		
480	DOOR FRAME, VERTICAL	48- 572		
490	DOOR FRAME, 6061-T4	48- 570		
500	DOOR SILL, CAB	48- 569		
505	DOOR SILL, SLEEPER BOX	48- 575		
510	DOOR SILL, TREAD PLATE	48- 2316		
515	DOOR SILL, TREAD PLATE	48- 2326		
520	FAN SPACER, ALUM 6262-T6	48- 49		
530	FAN SPACER, ALUM 2011-T3	48- 105		
540	FENDER SUPPORT	48- 2311		
550	FLAT BAR	48- 536		
560	GLASS SEAL RETAINER STRIP	48- 2318	1	

8/17/82 DATE	AA LAST CHG. LTR.	MATERIAL SPECIFICATION TITLE	PAGE	48 GROUP NO.

11	15	25	35	45	55	68	ST	CHG
570	H-SECTION					48- 556		
590	I-BEAM 6061					48- 547		
610	JUNCTION BLOCK (FLANGED)					48- 546		
630	MOULDING,ANGLE,HALF CAB					48- 557		
640	MOULDING,CAP					48- 550		
650	MOULDING,DIVIDER PANEL					48- 551		
652	MOULDING,DOOR FINISH					48- 2306	1	
653	MOULDING,DOOR FINISH					48- 2309		
655	MOULDING,DRIP					48- 111		
660	MOULDING,GARNISH,HALF CAB,ALUM 6063-T6					48- 544		
680	PEG,EQUALIZER STOP					48- 538		
710	RAIL,BUNK END,RH					48- 545		
730	SHACKLE,FRONT SPRING					48- 552		
745	SPACER,FRAME,STRETCH CAB,ALUM 6061-T6					48- 2305		
750	SPACER,SHIFT LEVER,ALUM 6063-T6					48- 110		
775	SQUARE,BAR,HOLLOW					48- 539		
810	TEE,ALUM STRUCT					48- 573		
820	TEE,BLOCK					48- 567		
830	TEE,SHARP CORNER,ALUM 5052					48- 540		
840	TEE,SHARP CORNER,ALUM 6063					48- 541		
860	TRIM,FENDERS					48- 560		
880	TRIM,NOSE BEAM,ALUM 6063					48- 10		
890	TRIM,STIFFENER MOULDING,HALF OVAL					48- 564		
910	VALVE BODY (CYCLOMATIC V),ALUM 6062-T6					48- 534		
920	WINDSHIELD HDR,ALUM 6063					48- 533		
940	WING CHANNEL (CHANNEL BACK),ALUM 6063-T5					48- 528		
960	WING CHANNEL (CURTAIN BOW),ALUM 6063-T5					48- 535		
980	WING CHANNEL (DOOR BTTM),ALUM 6063-T6					48- 531		
985	WING CHANNEL (FLANGED CHANNEL),ALUM 6063-T6					48- 2304		
990	ZEE (REAR WINDOW FRAME)					48- 2353		A
1000	ZEE (ROOF STIFFENER)					48- 563		
1010	ZEE (UPHOLSTERY STRIP)					48- 526		
1030	GRATING							
1033	EXPANDED,COLD DRAWN,ALUM 5052-H32					48- 606		
1035	SERRATED,SAFETY,ALUM 5052-0					48- 603		
1060	HINGE							
1065	LIGHT DUTY					48- 653		
1110	MESH							
1130	FILTER,ALUM FOIL					48- 609		
1140	WIRE SCREEN					48- 604		
1160	PIPE							
1170	PIPE ALUM,E50S					48- 429		
1180	PIPE,ALUM 6061					48- 426		
1190	PIPE,ALUM 6063					48- 427		
1210	PLATE							
1220	ALUM 5062					48- 176		
1225	ALUM 5086					48- 179		
1230	ALUM 6061					48- 177		
1300	TREAD,DIAMOND,ALUM 6061					48- 602		
1320	SHEET							
1325	ALUM 1100					48- 137		
1330	ALUM 3003					48- 127		
1335	ALUM 3004					48- 140		
1340	ALUM 3004,ALCLAD					48- 128		
1350	ALUM 5052					48- 129		
1360	ALUM 5052,BLACK ANUDIZED					48- 133		

8/17/82 DATE	AA LAST CHG. LTR.	MATERIAL SPECIFICATION TITLE	PAGE	48 GROUP NO.

			CHG
1370	ALUM 5052, VINYL COATED	48- 130	
1375	ALUM 5086	48- 180	
1380	ALUM 5454	48- 131	
1390	ALUM 5457	48- 136	
1400	ALUM 6061	48- 132	
1410	CIRCLE 3003	48- 651	
1415	CIRCLE 5052	48- 654	
1420	CURRUGATED, ALUM ALCLAD 3004	48- 605	
1440	EXPANDED, ALUM 3003, 5052	48- 601	
1460	PATTERNED (DIAMOND)	48- 608	
1480	PERFORATED	48- 610	
1500	TUBE		
1510	ALUM 2024	48- 403	
1520	ALUM 5052	48- 404	
1540	DRAWN ROUND, ALUM 3003	48- 401	
1550	DRAWN ROUND, ALUM 6061	48- 402	
1570	ROUND EXTRUDED, ALUM 6061	48- 407	
1570	ROUND EXTRUDED, ALUM 6063	48- 405	
1590	RECTANGULAR, EXTRUDED, ALUM 6063	48- 452	
1610	SQUARE, EXTRUDED, ALUM 6063	48- 453	
1620	WELDED, IRRIGATION	48- 451	
1700	ANTIFREEZE, ETHYLENE GLYCOL TYPE	48-22880	
1730	BATTERY SAVER	48- 115	
1750	BELTING, REINFORCED, TRANSMISSION	48- 2129	
1753	BRAKE LINING, VENDOR SUPPLIED	48- 2272	
1755	BRASS		
1760	HEXBAR, FREE CUTTING, ALLOY 360	48- 1377	
1765	ROUND BAR, FREE CUTTING	48- 1376	
1770	SHEET	48- 1378	
1780	BUSHING STOCK (SEE SPECIFIC MATERIAL)		
1800			
1805	CABLE		
1811	CONTROL, PUSH-PULL, HI TENS, STL	48- 2123	
1813	LOW TENSION, THERMOSET INSULATION	48- 2223	
1815	LOW TENSION, BATTERY, STARTER, BLACK	48- 2226	
1816	LOW TENSION, BATTERY, STARTER, RED	48- 2248	
1817	STRANDED, GALV STL	48- 1159	
1821	TILLER, NYLON JACKETED, WIRE CORE	48- 2111	
1825	2 CONDUCTOR, TYPE SJO	48- 2237	
1827	2 CONDUCTOR, TYPE SXL	48- 2247	
1830	3 CONDUCTOR, JACKETED, WIRE CORE	48- 2214	
1835	4 CONDUCTOR, JACKETED, WIRE CORE	48- 2235	
1870			
1880	CARPET, INDOOR-OUTDOOR	48- 2166	
1885	CARPET, INDOOR-OUTDOOR, UNBACKED	48- 2184	
1900	CARPET, DELUX CUSTOM	48- 2149	
1920	CAST IRON, ROUND BAR	48- 2124	
1940	CEMENT, PLASTIC, ABS	48- 2106	
1960	CEMENT, TUBE, WELD	48- 2113	
1990	CHAIN (SEE STEEL)		
1995	CHIP BOARD	48- 2259	
2010	COOLANT (SEE ANTIFREEZE)		
2030	COPPER		
2050	BAR, RECTANGULAR, ALLOY CA110	48- 1276	
2070	PLATE, COLD ROLLED, TEMPER ALLOY CA110	48- 1278	
2090	SHEET, SOFT, ALLOY CA110	48- 1277	

8/17/82 DATE	AA LAST CHG. LTR.	MATERIAL SPECIFICATION TITLE	PAGE 4	48 GROUP NO.

11	15	25	35	45	55	68		ST	CHG
2100	TUBING					48-	24		
2130	CORK,GASKET					48-	2145		
2150	COTTON,SHEETING					48-	2140		
2170	COTTON,WEBBING					48-	2141		
2180	COTTON,THREAD					48-	2175		
2200	DUCT,FLEXIBLE,WIRE REINFORCED,FIBERGLASS-NEOPRENE					48-	125		
2220	DUCT,FLEXIBLE,WIRE REINFORCED,COTTON-NEOPRENE					48-	134		
2300									
2310	ELASTOMER,SHEET,SOLID,RUBBER					48-	123		
2320	ELASTOMER,STRIP,SYNTHETIC RUBBER					48-	2136		
2340	ELECTROLYTE,STORAGE BAT (INDUSTRIAL GRADE SULFURIC ACID)					48-	93		
2360	ESTANE,BUSHING STOCK					48-	2154		
2400									
2410	FABREEKA,CHEMIGUM					48-	2137		
2420	FABRIC,VELOUR MATERIAL					48-	2257		
2425	FABRIC,VELOUR,SEAT INSERT					48-	2258		
2430	FELT,SHEET,AUTOMOTIVE					48-	2192		
2450	FIBER,STOCK					48-	2133		
2470	FIBERGLASS,INSULATION					48-	2132		
2490	FIBERGLASS,SCREEN					48-	2105		
2510	FUEL,DIESEL					48-	114		
2550									
2580	HIDE,COW,TOP GRAIN					48-	2163		
2610	HINGE (SEE SPECIFIC MATERIAL)								
2630	HOSE								
2670	AIR BRAKE,SAE J1402,TYPE A					48-	2011		
2690	AIR BRAKE,SAE J1402,TYPE B					48-	121		
2710	AIR,SAE J1402,TYPE D-2					48-	2005		
2715	AIR VENT,FLEXIBLE					48-	2246		
2730	AIR CONDITIONING AERO QUIP					48-	2012		
2735	AIR CONDITIONING AERO QUIP FC100					48-	2007		
2736	COOLANT SYSTEM,SAE 20R5,OPTION I					48-	82	1	
2737	COOLANT SYSTEM,SAE 20R5,OPTION II					48-	83	1	
2738	COOLANT SYSTEM,SAE 20R5,OPTION III					48-	84	1	
2739	COOLANT SYSTEM,SAE 20R5,OPTION IV					48-	85	1	
2740	FREON					48-	21		
2750	HEAVY DUTY COOLANT SYSTEM,20R1,LIGHT WALL					48-	99		
2760	HYDRAULIC,MED PRSSR,SAE 100R3,ALL NYLON BONDED CONST					48-	9		
2765	HYDRAULIC SUCTION					48-	2015		
2770	LOW PRESSURE L.P. GAS					48-	2013		
2790	LOW PRESSURE SINGLE FABRIC BRAID					48-	2002		
2795	LOW PRESSURE,WATER,SINGLE FABRIC BRAID					48-	2014		
2810	MEDIUM PRESSURE,SAE 100R5					48-	2004		
2820	MEDIUM PRESSURE REFRIGERANT					48-	25		
2830	NORMAL SERVICE,SAE 20R4,KNITTED OR BRAIDED					48-	81		
2850	OIL RESISTANT,HEAVY DUTY TYPE					48-	98		
2855	OIL RESISTANT,SAE 20R3SC					48-	2009		
2870	RADIATOR,SAE STANDARD J20R4,NEOPRENE					48-	9209		
2910	RUBBER,FLEXIBLE					48-	2006		
2920	RUBBER,SILICONE,SAE J20,TYPE 1					48-	2010		
2922	RUBBER,SILICONE,J201,TYPE 3					48-	2256		
2950	HOSE,WASHER,WINDSHIELD					48-	2017		
3000	HYDRAULIC FLUID					48-	2207		
3010	POWER STEERING					48-	2297		
3100									
3200	INSULATION,PREFORMED (TUBE)					48-	2178		

8/17/82 DATE	AA LAST CHG. LTR.	MATERIAL SPECIFICATION TITLE	PAGE	48 GROUP NO.

	11 15 25 35 45 55	68	ST	CHG
3300				
3310	LOOM,NON-METALLIC,FLEXIBLE CONDUIT	48- 102		
3330	LUBRICANTS			
3350	ADDITIVE	48- 2164		
3370	ENGINE OIL			
3390	CC	48- 2179		
3410	CC/CD	48- 2194	1	
3414	CC/CD	48- 2276		
3416	CC,CD,SE	48- 2277		
3418	CD	48- 2193		
3420	SD	48- 2195		
3500	GEAR OIL			
3520	MULTI SERVICE HYPOID,GL-5	48- 2174		
3540	STRAIGHT MINERAL,GL-1	48- 2180		
3590	GREASE			
3620	CHASSIS	48- 109		
3640	LOW TEMP	48- 2181		
3660	WHEEL BEARING	48- 2191		
3700	TRANSMISSION FLUIDS	48- 2182		
3810	MASTIX,GLASS	48- 120		
3900				
3920	NEOPRENE			
3940	DIAPHRAGM STOCK	48- 2118		
3950	EXTRUSION,COWL LACING	48- 2294		
3960	ROUND,SOLID	48- 2121		
3990	SHEET			
4110	CLOSED CELL,ADHESIVE BACKED	48- 2119		
4130	CLOSED CELL,DOOR SEAL	48- 2201		
4180	STRIP,CLOSED CELL,ADHESIVE BACKED	48- 2168		
4220	SOLID,40 DUROM	48- 2200		
4240	SOLID,50 DUROM	48- 2160		
4260	SOLID,60 DUROM	48- 2139		
4280	SOLID,80 DUROM	48- 2120		
4310	TUBE	48- 2122		
4400	NYLON			
4510	BUSHING STOCK,NYLON TUBE	48- 2142		
4520	BUSHING STOCK,NYLATRON GS,TUBE	48- 2151		
4540	BUSHING STOCK,NYLATRON GS,FLAT	48- 2143		
4560	CONDUIT,CONVOLUTED (ALSO SEE PLASTICS)	48- 2217		
4580	CORD,SHOCK	48- 2136		
4610	MESH,VINYL COATED	48- 2169		
4640	ROD,ROUND,NYLATRON GS	48- 2196		
4680	TUBE,NON-REINFORCED MONO TUBE CONSTRUCTION	48- 100		
4700	TUBE,REINFORCED CONSTRUCTION	48- 101		
4720	TUBE,BUNDLE	48- 2167		
4740	WEBBING	48- 2150		
4800				
4810	PAINT			
4815	HEAT RESIST,ALUM	48- 113		
4820	PRIMER,INORGANIC ZINC EPOXY	48- 2241		
4940	PLASTIC (EXCEPT NYLON,FIBERGLASS)			
4960	BUSHING STOCK,PHENOLIC,GRAPHITIZED	48- 2158		
5010	COATING STRIPPABLE	48- 2213		
5020	CONDUIT,CONVOLUTED POLYTHYLENE (ALSO SEE NYLON)	48- 2218		
5040	EXTRUSION,ANGLE,ABS	48- 2185		
5060	ROD,TEFLON	48- 2224		

8/17/82 DATE	AA LAST CHG. LTR.	MATERIAL SPECIFICATION TITLE	PAGE 6	48 GROUP NO.

			CHG
5100	SHEET		
5120	ACRYLIC (PLEXIGLAS)	48- 2135	
5140	ACRYLONITRILE-BUTADIENE-STYRENE (ABS)	48- 6	
5145	ACRYLONITRILE-BUTADIENE-STYRENE, CAB LINING	48- 2289	
5150	ACRYLONITRILE-BUTADIENE-STYRENE, CAB LINING, PERFORATED	48- 2290	
5155	ACRYLONITRILE-BUTADIENE-STYRENE, FOAM COVERED	48- 2273	
5160	FOAM, ACOUSTIC LINER	48- 2215	
5180	FOAM, POLYURETHANE, COTTON REINFORCED	48- 2144	
5200	FOAM, POLYVINYL CHLORIDE	48- 2162	
5210	FOAM, URETHANE, OPEN CELL	48- 2126	
5220	FOAM, URETHANE, OPEN CELL	48- 2170	
5240	FOAM, URETHANE, CLOSED CELL	48- 2171	
5245	FOAM, URETHANE, CLOSED CELL W/SENSITIVE BACKING	48- 2242	
5250	FOAM, MEDIUM DENSITY, CLOSED CELL	48- 2308	
5260	GASKET, CORK-RUBBER	48- 2221	
5280	GASKET, NON-METALIC (VELLUMOID)	48- 2148	
5310	PHENOLIC, COTTON REINFORCED, GRAPHITIZED	48- 2127	
5320	TUBING, ABS GR GS	48- 2103	
5340	TUBING, CLOSED CELL, FLEXIBLE INSULATION	48- 2159	
5360	TUBING, HEAT SHRINKABLE	48- 2211	
5380	TUBING, PLASTIC, STYRENE	48- 2104	
5410	UVEX	48- 2187	
5445	VINYL		
5460	FABRIC, LIGHT (15 OZ.)	48- 2109	
5480	FABRIC, QUILTED (32 OZ.)	48- 2222	
5510	FABRIC, SEAT CUSHION (32 OZ.)	48- 2108	
5540	FABRIC, SEAT CUSHION (24 OZ.), BULTAFLEX	48- 2173	
5560	FABRIC, SEAT CUSHION (24 OZ.), NAUGAHYDE	48- 2172	
5580	FLOOR MAT	48- 2131	
5610	PADDING, BLACK EMBOSSED	48- 2153	
5630	TRIM, EDGING	48- 2188	
5650	WELTING	48- 2107	
5690	WELTING, FENDER	48- 2100	
5800			
5850	RUBBER (SEE ALSO "ELASTOMER")		
5870	ANTI-ABRASION SHEET	48- 2203	
5900	EXPANDED CELLULAR STOCK (SHEET OR BLOCK)	48- 1231	
5920	EXTRUSION, CAB FENDER MOLDING	48- 2199	
5940	EXTRUSION, HOSE CLAMP	48- 2101	
5950	EXTRUSION, SEAL	48- 2278	
5960	EXTRUSION, SLEEPER BOOT	48- 2220	
5961	EXTRUSION, WEATHERSTRIP, VISIBILITY WINDOW	48- 2245	
5962	EXTRUSION, WINDSHIELD SEAL, CHANNEL	48- 2238	
5965	EXTRUSION, WINDSHIELD SEAL, FILLER STRIP	48- 2239	
5975	SEAL, BULB, CELLAR	48- 2263	
5976	SEAL, DOOR, NEOPRENE	48- 2279	
5977	SEAL, OPEN CELL, PERFORATED	48- 2274	
5980	STRIP, SPONGE	48- 2225	
6010	URETHANE, BUSHING STOCK	48- 2155	
6040	SEALANTS (SEE ALSO TAPES)		
6050	ADHESIVE, METHYL CYANOACRYLATE	48- 2219	
6060	ADHESIVE, STRUCTURAL	48- 2296	
6080	ALUMILASTIC	48- 119	
6110	CALKING ("MORTITE")	48- 118	
6113	GASKET, INSTANT SEAL PLASTIC	48- 2112	
6115	HOT MELT (ADHESIVE)	48- 2240	

FREIGHTLINER CORPORATION
PORTLAND, OREGON

FREIGHTLINER

MASTER

SERIES "A"
GROUP
INDEX

FOR VEHICLE SERIAL NUMBERS 15500 AND UP

8/17/82 DATE	AA LAST CHG. LTR.	MATERIAL SPECIFICATION TITLE	PAGE	48 GROUP NO.	CHG

			ST	
6130	MISC SEALANTS	48- 94		
6150	RETAINING COMPOUND (THREAD LOCK,ETC)	48- 2110		
6190	TUBE,WELD (ADHESIVE)	48- 2113		
6300	STEEL			
6320	BAR			
6340	FLAT			
6360	HIGH CARBON,HOT ROLLED,AISI 1059	48- 753		
6380	LOW CARBON,COLD ROLLED,ASTM A109	48- 756		
6400	LOW CARBON,HOT ROLLED,ASTM A576	48- 751		
6420	MEDIUM CARBON,HOT ROLLED,ASTM A576	48- 752		
6440	HALF OVAL,M1020 LOW CARBON HOT ROLLED	48- 854		
6480	HALF ROUND,LOW CARBON	48- 852		
6500	HEX,FREE MACHN SCRW STOCK AISI 1213,B113,AISI 1215	48- 803		
6520	HEX,LOW CARBON,COLD DRAWN,ASTM A108	48- 801		
6540	HEX,MED CARBON,COLD DRAWN,AISI 1042	48- 802		
6560	HEXAGON,STAINLESS	48- 804		
6580	RECTANGULAR,ALLOY 5160	48- 754		
6600	ROUND			
6620	AISI,C0150	48- 837		
6630	CARBON LEADED,MED,AISI 11L41	48- 843		
6635	CARBON,MEDIUM,1141	48- 850		
6640	CASE HARDENED,COLD FINISHED,8620	48- 839		
6650	COLD DRAWN,AISI C1141	48- 848		
6655	COLD DRAWN,ASTM A108	48- 849		
6660	COLD DRAWN,SCREW STOCK,AISI 12L14	48- 833		
6670	COLD DRAWN,STL,HI MN,MED CARBON	48- 842		
6680	COLD FINISHED,ASTM A108	48- 829		
6700	COLD FINISHED,AISI 1042	48- 830		
6720	COLD FINISHED,CASED HARDENING,AISI 117	48- 831		
6725	COLD FINISHED,CASED HARDENING,AISI 86L20	48- 2244		
6740	COLD FORMING,HIGH YIELD STRENGTH	48- 845		
6780	DRILL ROD,CARBON STL	48- 838		
6800	FREE MACHINING SCREW STOCK AISI 1213,B113,1215	48- 834		
6820	GROUND & POLISHED,AISI C1141	48- 840		
6840	GROUND & POLISHED,ACCURACY STOCK,AISI 1215	48- 847		
6850	GROUND & POLISHED,TURNED 1025	48- 844		
6860	HIGH CARBON,HOT ROLLED,AISI 1095	48- 828		
6880	HOT ROLLED			
6900	AISI 1040	48- 841		
6920	ASTM SAE 1020	48- 826		
6940	AISI 4140 ANNEALED	48- 832		
6960	ASTM A576,SAE 1045	48- 827		
6980	STAINLESS,TYPE 303 ASTM A582	48- 835		
7000	STAINLESS,TYPE 416,ASTM A582	48- 836		
7025	THREADED,GR B,ASTM A307	48- 851		
7040	SQUARE			
7045	FREE MACHINING SCREW STOCK	48- 779		
7080	LOW CARBON,COLD DRAWN,AISI 1018	48- 777		
7100	LOW CARBON,HOT ROLLED,AISI 1020	48- 776		
7120	MEDIUM CARBON,COLD DRAWN,AISI 1042	48- 778		
7190	CHAIN			
7210	COMMON	48- 1155		
7240	FURNACE	48- 1157		
7260	PASSING LINK,AISI 1008	48- 1156		
7280	SASH	48- 1158		
7300	GRATING			

FREIGHTLINER CORPORATION
PORTLAND, OREGON

FREIGHTLINER

MASTER

SERIES "A"
GROUP
INDEX

FOR VEHICLE SERIAL NUMBERS 15500 AND UP

8/17/82 DATE	AA LAST CHG. LTR.	MATERIAL SPECIFICATION TITLE	PAGE	48 GROUP NO.	CHG

7320		OPEN BUTTON TYPE					48- 1204	
7340		SAFETY					48- 1206	
7360		STRUCTURAL					48- 1207	
7380	HINGE							
7400		BUTT					48- 1227	
7420		BUTT, STAINLESS STEEL					48- 2198	
7440	MESH							
7460		WIRE SCREEN					48- 1203	
7480	PIPE							
7520		ALL-THREAD, SCHEDULE 40 PIPE					48- 428	
7540		BLACK IRON, ASA STD, ASTM A53 & A120					48- 23	
7560		GALVANIZED, ASA STD, ASTM A53 & A120					48- 124	
7580	PLATE							
7600		FIREBOX QUALITY, ASTM A285					48- 726	
7610		HIGH STRENGTH/LOW ALLOY, HOT ROLLED, STRUCTURAL					48- 707	
7620		LOW CARBON, HOT ROLLED, ASTM A36					48- 4	
7640		MED CARBON, CHROMIUM, 5160					48- 728	
7660		MED CARBON, CHROME-VANADIUM, 6150					48- 729	
7680		QUENCHED & TEMPERED, HI-YIELD STRENGTH, ASTM A514					48- 727	
7700		TREAD PLATE					48- 1202	
7720	SHEET							
7730		AISI 4130					48- 716	
7740		ALUMINIZED, ASTM A463-67					48- 705	
7750		COLD ROLLED, ASTM A611, STRUCTURAL					48- 715	
7760		COLD ROLLED, CARBON, ASTM A619 & A620					48- 712	
7765		COLD ROLLED, A611, STRUCTURAL GRADE					48- 715	
7780		DEEP DRAWING, ASTM A619 & A620					48- 709	
7800		GALVANIZED, ASTM A526 & ASTM A527					48- 704	
7820		HIGH STRENGTH/LOW ALLOY, ASTM A375					48- 702	
7840		HIGH STRENGTH/LOW ALLOY, ASTM A572-72					48- 713	
7850		HIGH STRENGTH/LOW ALLOY, ASTM A607					48- 718	
7860		LOW CARBON, ASTM A415 & ASTM 570					48- 5	
7880		LOW CARBON, ASTM A366					48- 703	
7900		MED CARBON, ANNEALED, AISI 1050					48- 711	
7920		STAINLESS						
7940		EXPANDED METAL					48- 1208	
7950		STRIP, SAE 30302					48- 1232	
7960		TYPE 304, ASTM A240					48- 710	
7980		TYPE 430, ASTM A240					48- 708	
8000		EXPANDED METAL					48- 1201	
8010		EXPANDED METAL					48- 1205	
8020		TERNE COATED, ASTM A308					48- 706	
8040		PICKLED & OILED, ASTM A415					48- 701	
8060	SHIM STOCK, MILD STEEL						48- 1229	
8070	STRIP, SPRING						48- 1226	
8080	STRIP, STRAPPING, HEAVY DUTY						48- 853	
8090	STRUCTURAL SHAPES							
8100		ANGLE					48- 1076	
8105		ANGLE					48- 1077	
8110		BEAM, WIDE FLANGE, ASTM A36					48- 1154	
8120		CHANNEL						
8140		GRIP, STRUT					48- 1128	
8160		REGULAR, ASTM A36					48- 1126	
8180		SHIP & CAR					48- 1129	
8200		STRUCTURAL, ASTM A36					48- 1127	
8240		I-BEAM, STRUCTURAL, ASTM A36					48- 1151	

8/17/82 DATE	AA LAST CHG. LTR.	MATERIAL SPECIFICATION TITLE	PAGE	48 GROUP NO.

11	15	25	35	45	55	68		ST	CHG
8260	M-BEAM, STRUCTURAL, ASTM A36					48- 576			
8280	TEE, STRUCTURAL, ASTM A36					48- 1152			
8285	TEE, STRUCTURAL, SPECIAL					48- 1153			
8300	TUBE								
8320	BUNDYWELD, DOUBLE WALL					48- 930			
8340	D.O.M. (DRAWN-OVER-MANDREL) ASTM A513-66					48- 926			
8360	FLEX, COPPER WIRE PACKED STAINLESS					48- 1002			
8370	FLEX, GALVANIZED					48- 1051			
8390	FREE-MACHINING, C1118					48- 879			
8400	LEADED STEEL					48- 880			
8420	RECTANGULAR, LIGHT STRUCTURAL, AISI 1020					48- 979			
8430	RECTANGULAR, STRUCTURAL, ASTM A501					48- 978			
8450	SEAMLESS								
8470	ALUMINIZED					48- 878			
8490	COLD DRAWN, ALLOY STEEL					48- 881			
8500	COLD DRAWN, ASTM A514 A500-64					48- 876			
8510	COLD DRAWN, ANNEALED, AISI 1010					48- 877			
8530	HOT ROLLED, 1040					48- 406			
8550	TYPE 409, STAINLESS					48- 1052			
8570	SQUARE, LIGHT STRUCTURAL, AISI 1020					48- 977			
8590	SQUARE, STRUCTURAL, ASTM A501					48- 976			
8600	STAINLESS, THIN WALL					48- 1001			
8610	STAINLESS, TYPE 304					48- 1003			
8620	WELDED								
8630	BUTT, COLD DRAWN, LOW CARBON					48- 931			
8640	BUTT, MANDREL DRAWN					48- 928			
8660	COLD DRAWN (DRIVELINE)					48- 929			
8680	ELECTRIC RESISTANCE, ASTM A513					48- 927			
8695	WIRE, HI-CARBON, TYPE 290					48- 1234			
8700	WIRE, ROUND					48- 1228			
8710	WIRE, STAINLESS, TYPE 302					48- 1233			
8740	TAPE (SEE ALSO SEALANTS)								
8760	BUTYL RUBBER, SELF-ADHESIVE					48- 2156			
8780	ELECTRICAL, PVC, PRESSURE SENSITIVE ADHESIVE					48- 126			
8800	ELECTRICAL, SEALING COMPOUND					48- 2116			
8820	ELECTRICAL, VINYL, FLAME RESISTANT					48- 2177			
8840	FOAM, VINYL								
8860	DOUBLE TACK, 16 LB DENSITY					48- 106			
8870	DOUBLE FACED					48- 2234			
8875	SINGLE FACE, CLOSED CELL					48- 2209			
8880	SINGLE FACE, 7 LB DENSITY					48- 116			
8890	SINGLE FACE, 8 LB DENSITY					48- 117			
8900	SINGLE FACE, 10 LB DENSITY					48- 50			
8920	FOIL, PRESSURE SENSITIVE					48- 2176			
8940	GLAZING					48- 107			
8960	INSULATION, MASTIC					48- 2189			
8980	POLYESTER, SEALANT					48- 2216			
9000	STRIP, ABRASIVE, "SAFETY WALK"					48- 2161			
9010	STRIP, PVC FOAM, ADHESIVE BACKED					48- 2186			
9020	TRANSFER, ADHESIVE, PRESSURE SENSITIVE, DOUBLE FACED					48- 2268			
9030	WATER RESISTANT, POLYETHYLENE, CLOTH BACKED					48- 122			
9050									
9070	UNDERCOAT								
9072	ASPHALTIC AIRLESS SPRAYABLE COATING					48- 2206			
9075	WEATHERSTRIP, FLOCKED, RUBBER COVERED					48- 2264			
9100	WOOD PRODUCTS								

8/17/82 DATE	AA LAST CHG. LTR.	MATERIAL SPECIFICATION TITLE	PAGE 10	48 GROUP NO.

11	15	25	35	45	55	68	ST	CHG
9120	FIR, COMMON DRESSED #2					48- 1579		
9140	FIR, KILN DRIED					48- 1576		
9150	FIR, STRUCTURAL GRADE					48- 1581		
9160	HEMLOCK, COMMON DRESSED #2					48- 1583		
9180	MASONITE					48- 2130		
9200	PINE, UTILITY GRADE, FINISHED					48- 1580		
9220	PLYWOOD, EXTERIOR A-C GRADE					48- 2114		
9240	PLYWOOD, EXTERIOR B-C GRADE					48- 1578		
9260	PLYWOOD, EXTERIOR C-D GRADE					48- 1577		
9280	PLYWOOD, INTERIOR C-D, PLUGGED					48- 1582		
9300	STRIP, FIR					48- 2157		
9320	WOOL, FELT					48- 2134		